

Needs Assessment Data

Table of Contents

Contextual Risk Factors

Demographic and Poverty Characteristics	1 (1)
Divorce Rate	1 (1)
Infant Mortality Rate	1 (1)
Child Abuse	2 (2)
Domestic Violence/Adult Abuse	3 (3)

Individual Domain: ATOD Risk and Protective Factors for Youth 12 – 17

Perceived Risk of Use: Cigarettes	4
Perceived Risk of Use: Marijuana (once or twice)	5
Perceived Risk of Use: Marijuana (regularly)	6
Perceived Risk of Use: Alcohol	7

Peer Domain: ATOD Risk and Protective Factors for Youth 12 – 17

Unfavorable Attitudes: Alcohol	8
Unfavorable Attitudes: Cigarettes	9
Unfavorable Attitudes: Marijuana	10
Unfavorable Attitudes: Hard Drugs	11
Unfavorable Attitudes: Methamphetamines	12
Unfavorable Attitudes: Inhalants	13
Friends Who Use: Cigarettes	14
Friends Who Use: Alcohol	15
Friends Who Use: Marijuana	16
Friends Who Use: LSD, Cocaine, Other Illegal	17
Friends Who Use: Methamphetamines	18
Friends Who Use: Inhalants	19

Family Domain: ATOD Risk and Protective Factors for Youth 12 – 17

Parental Disapproval of Alcohol	20
Parental Disapproval of Cigarettes	21
Parental Disapproval of Marijuana	22
Parental Disapproval of Hard Drugs	23
Parental Disapproval of Methamphetamines	24
Parental Disapproval of Inhalants	25

**School Domain: ATOD Risk and Protective Factors for
Youth 12 – 17**

Attendance, Retention Rate, and Dropout Rate	26 (4)
School ATOD Violations	27 (5)

**Community Domain: ATOD Risk and Protective Factors for
Youth 12 – 17**

Perceived Accessibility of Cigarettes	28
Perceived Accessibility of Alcohol	29
Alcohol: Perceived Sources for Underage Use	30-31
Alcohol: Location of Underage Use	32-33
Synar Non-Compliance Rates (Tobacco)	34 (6)
Liquor License Density	34 (6)

**ATOD Baseline Indicators: Age of Onset and 30 Day Usage
Youth 12-17**

	Cigarettes: Age of Onset	35
	30 Day Usage	36
Alcohol:	Age of Onset (more than sip)	37
	Age of Onset (regular use)	38
	30 Day Usage	39
Marijuana:	Age of Onset	40
	30 Day Usage	41
Smokeless Tobacco:	Age of Onset	42
	30 Day Usage	43
Cocaine:	30 Day Usage	44
Inhalants:	30 Day Usage	45
Prescription Drugs:	30 Day Usage	46
Oxycontin:	30 Day Usage	47
Speed/Uppers:	30 Day Usage	48
Methamphetamine:	30 Day Usage	49
Tranquilizers:	30 Day Usage	50
OTC Drugs:	30 Day Usage	51
MDMA/Ecstasy:	30 Day Usage	52

Adolescent Problem Behaviors Co-Occurring with ATOD Use

	Suspension: Age of Onset	53
	Last 12 Months	54
Arrested:	Age of Onset	55
	Last 12 Months	56
Handgun:	Age of Onset	57
Handgun at School	Last 12 Months	58
	At School	59
Fighting:	Age of Onset	60
Attacked Someone:	Last 12 Months	61

Sold Drugs: Last 12 Months	62
Stole Vehicle: Last 12 Months	63
Drunk/High at School Last 12 Months	64
Treatment: Adults and Youth in Treatment with Community Mental Health Centers	65 (7)
Indicators of Need for ATOD Treatment	
Adult Substance Abuse: Lifetime	66 (8)
Adult Substance Abuse: Past Year	67 (9)
Driving Under the Influence (DUI) Arrests	68 (10)
Drug Arrests	69 (11)
Leading Causes of Death	70 (12)

Demographic Characteristics

Bell County

Indicator Description:
Demographic Characteristics

	County	State	National
Total Population, 2005 ¹	29,665	4,173,405	296,410,404
Population Under 18, 2005 ¹	6,757	980,160	73,469,984
Percent of Population: Black, 2005 ¹	2.6%	7.5%	12.8%
Percent of Population: Hispanic or Latino, 2005 ¹	0.8%	2.0%	14.4%

	County	State	National
Unemployment Rate, 2005 ¹	7.90	6.10	5.10
Percent of Population in Poverty, 2003 ¹	25.8%	14.9%	12.5%
Percent of Population Under 18 in Poverty, 2004 ²	39.4%	22.2%	17.8%

	County	State	National
Divorce Rate per 1000 Population, 2003 ³	6.7	5.0	3.8

	County	State	National
Infant Mortality (Total), 2003 ¹	3	381	28,025

¹ Source: U.S. Census Bureau
<http://quickfacts.census.gov>

² Source: Kids Count
<http://www.aecf.org/kidscount/census>

³ Source: DPH: Vital Statistics


Child Abuse

Bell County

Indicator Description:

Substantiated reports of child abuse (rate per 1000 children under age 18), 2003

	Neglect & Dependency	Physical Abuse	Sexual Abuse	Emotional Abuse
County	16.8	4.0	1.3	0.0
State	13.7	3.0	1.5	0.2



Source: DPH


Domestic Violence / Adult Abuse

Bell County

Indicator Description:

Adult and spouse abuse cases per 1000 population, 2000



	Adult Abuse	Spouse Abuse
County	2.74	4.11
Region	1.39	2.03
State	3.01	3.21



Source: DPH
Available: sig.reachoflouisville.com

School Attendance, Retention Rate, and Dropout Rate

Bell



Source: Kentucky Department of Education
<http://www.kyschools.org/KDE/About+Schools+and+Districts/School+Report+Cards.htm>

School Violations by Outcome



Bell County

Indicator Description:

Drug Violations Rate per 1000 students

Broken down by "out of school" suspensions and expulsions (both with and without educational services), 2004-2005

	Expulsions	Suspensions
County	0.03	0.90
Region	0.02	0.49
State	0.03	0.57



Indicator Description:

Violence Violations Rate per 1000 students

Broken down by "out of school" suspensions and expulsions (both with and without educational services), 2004-2005

	Expulsions	Suspensions
County	0.000	0.033
Region	0.004	0.196
State	0.002	0.137

Synar & ABC

Bell County

Indicator Description:

Total number of Synar violations and percentage of establishments that sold cigarettes to minors, 2006

	Region	State
Number of Violations	5	57
Synar non-compliance rate	8.2%	6.0%

Indicator Description:

Total number of liquor licenses in the county, 2006

	Bell
Number of liquor licenses	0

Source: ABC

Substance Abuse Services

Bell County

Indicator Description:

Substance abuse treatment provided by community medical health centers. Data is reported by county of service for adults and youth, 2006.

County

	Total	Rate per 1000
18+	1,248	13.84
0-17	84	12.43
unknown	30	

Region

	Total	Rate per 1000
18+	2,628	10.85
0-17	110	1.91
unknown	51	

State

	Total	Rate per 1000
18+	27,944	6.70
0-17	1,248	1.27
unknown	543	

Source: Research and Data Management Center
<http://www.rdmcc.org>

Adult Substance Abuse - Lifetime

Bell County

Indicator Description:

Adult substance abuse data from the 2004 Adult Household Survey Report

	Region	State
Lifetime Alcohol Use #	126,109	2,552,825
Lifetime Alcohol Use %	69.3%	81.7%

	Region	State
Lifetime Cigarette Use #	124,404	2,070,134
Lifetime Cigarette Use %	68.4%	66.3%

	Region	State
Lifetime Marijuana Use #	49,391	979,568
Lifetime Marijuana Use %	27.1%	31.4%

	Region	State
Lifetime Cocaine Use #	10,894	229,231
Lifetime Cocaine Use %	6.0%	7.3%

	Region	State
Lifetime Hallucinogen Use #	8,571	207,810
Lifetime Hallucinogen Use %	4.7%	6.7%

	Region	State
Lifetime Illicit Drug Use #	54,874	1,052,348
Lifetime Illicit Drug Use %	30.2%	33.7%

Source: CDAR

<http://cdar.uky.edu/knap/04-RegionCompare.htm>

Adult Substance Abuse - Past Year

Bell County

Indicator Description:

Adult substance abuse data from the 2004 Adult Household Survey Report

	Region	State
Past Year Alcohol Abuse #	6,783	129,835
Past Year Alcohol Abuse %	3.7%	4.2%

	Region	State
Past Year Alcohol Dependence #	1,831	54,902
Past Year Alcohol Dependence %	1.0%	1.8%

	Region	State
Past Year Drug Abuse #	2,954	47,478
Past Year Drug Abuse %	1.6%	1.5%

	Region	State
Past Year Drug Dependence #	1,120	31,161
Past Year Drug Dependence %	0.6%	1.0%

	Region	State
Treatment Need #	16,585	374,884
Treatment Need %	9.1%	12.0%


DUI

Bell County

Indicator Description:

DUI Convictions per 1000 population, 2005 & Percentage of total car crashes involving drunk drivers, 2005

	County	State
DUI Convictions	13.7	7.4
Drinking Collisions	3.3%	4.2%




Drug Arrests

Bell County

Indicator Description:

Marijuana, Cocaine, and Narcotics arrests per 1000 residents, 2005

	Marijuana	Cocaine	Narcotics
County	1.80	0.30	0.00
State	4.10	1.50	0.70



Source: Kentucky State Police
<http://www.kentuckystatepolice.org/data.htm>

Bell County, Kentucky

Leading Causes of Death

County Extension Service District: 2
Area Development District (ADD): Cumberland River
Area Health Education Center (AHEC): Southeast

This profile uses the most current data to assist Extension Agents in understanding the health status of their county. The accompanying page lists related county-level demographic and socioeconomic data that may be helpful in directing programmatic efforts.

The overall age-adjusted death rate* in Kentucky is 980.8 people per 100,000. However, disparities exist across the Commonwealth in the number of deaths from various causes. To create this profile, death rates for select causes were compiled by county. Within each category, county death rates were divided into five groups (quintiles). These quintiles are numbered 1 through 5, where counties in **Quintile 5 have the highest death rates** for a specific cause of death, and those in **Quintile 1 have the lowest death rates**. For example, Bell County is in Quintile 5 for diabetes. This means that it is among the Kentucky counties with the very highest death rates for diabetes. The chart below contains Bell County quintile assignments, county death rates, as well as state and national death rates for comparison.

Age-Adjusted Death Rates* and Quintiles, 1995-1999

Cause of Death	Quintile	Bell County number of deaths from 1995-1999	Bell County age-adjusted death rate (per 100,000)	Kentucky age-adjusted death rate (per 100,000)	United States age-adjusted death rate (per 100,000)
ALL DEATHS	5 - Highest	1770	1,163.84	980.797	892.748
LEADING CAUSES OF DEATH					
* Diseases of the Heart	5 - Highest	625	413.098	315.477	280.744
* All Cancers	5 - Highest	413	267.416	229.230	206.130
* Cerebrovascular Diseases (Stroke, etc.)	1	78	52.087	68.276	61.912
* Chronic Lower Respiratory Disease	5 - Highest	117	75.469	52.073	42.199
* Unintentional Injury	3	78	52.409	42.234	35.104
* Diabetes	5 - Highest	56	36.365	26.028	24.167
SELECT CAUSES OF DEATH					
* Lung Cancer	5 - Highest	153	97.16	78.553	57.257
* Breast Cancer	4 - Second Highest	27	30.982	28.060	28.779
* Colorectal Cancer	4 - Second Highest	43	28.255	24.431	22.094
* Cervical Cancer	5 - Highest	10	12.363	4.163	3.113
* Motor Vehicle Accidents	2	30	19.67	20.602	16.155
* Suicide	4 - Second Highest	23	15.318	12.613	11.415
* Homicide	5 - Highest	19	12.818	6.204	7.178

*Since each county has a different breakdown of age-groups, actual numbers of deaths cannot be compared. Thus, the numbers are "adjusted" for age to allow for comparison.

These data sheets were produced by the University of Kentucky Cooperative Extension Service, Health Education through Extension Leadership (HEEL) Program; 1 Quality Street Suite 692; Lexington, Kentucky 40507; 859-257-2968

All data was generously compiled and calculated by Tom Tucker and Bin Huang at the Kentucky Cancer Registry. All age-adjusted rates were adjusted to 2000 standard population. Kentucky and county age-adjusted rates were calculated from Kentucky mortality data. U.S rates are based on information from CDC Wonders. CDC Wonders did not provide direct information for 1995-99 so the rates were calculated by getting each year's information from CDC. SEER Cause of Death Records were used for the definition of each cancer site. For all non-cancer causes, the definitions of causes are based on information from National Vital Statistics Report, Vol 49, No. 2.

Educational programs of the Kentucky Cooperative Extension Service serve all people regardless of race, color, age, sex, religion, disability, or national origin.